

Fully Synthetic

# K1 Lube Scooter 4T SL

Superior grade engine oil for  
four-stroke motorcycles

API SL  
JASO MB



## DESCRIPTION

The K1 Lube Scooter 4T SL is formulated with advanced synthetic technology that meets the requirements of the top-grade specifications, like API SL and JASO MB. It is optimized to provide great scooter engine oil performance, especially in terms of fuel efficiency, reducing friction losses without the loss of durability.

## APPLICATIONS

- All gasoline fueled vehicles
- High performance cars equipped with DOHC, EFI and VVT
- Four-stroke gasoline engines in motorcycles
- Sports Vehicles

## PERFORMANCE STANDARDS

- API SL
- JASO MB

## CUSTOMER BENEFITS

### Fuel Economy

The wide temperature range capabilities of VHVI Group III base oils ensure the proper oil viscosity that reduces friction during start-up and provides maximum lubrication during high-temperature operation.

### Engine Power and Maintainability

The reduction of blow-by gases by reducing sludge formation, helps maintain engine power and cleanliness, ultimately prolonging the life of the engine.

## Oil Drainage Interval

Outstanding oxidation stability and low volatility extend oil drain intervals.

## All-temperature Wear Resistance

Advanced base oil and high-performance additives formulation leads excellent shear stability and maximum wear protection in high speed, high temperature driving conditions as well as provides component wear resistance during very low temperature cold starts.

## KEY PROPERTIES

SAE Grade	10W-30
Kinematic Viscosity, mm <sup>2</sup> /s @ 40°C	77.0
Kinematic Viscosity, mm <sup>2</sup> /s @ 100°C	11.9
Viscosity Index	150
Pour Point °C	-33
Flash Point °C	254
Package (Liters)	0.8, 1, 200